



**Europäisches
Patentamt**

**European
Patent Office**

**Office européen
des brevets**

REC'D 13 MAY 2004

WIPO

PCT

Bescheinigung

Certificate

Attestation

Die angehefteten Unterlagen stimmen mit der ursprünglich eingereichten Fassung der auf dem nächsten Blatt bezeichneten europäischen Patentanmeldung überein.

The attached documents are exact copies of the European patent application described on the following page, as originally filed.

Les documents fixés à cette attestation sont conformes à la version initialement déposée de la demande de brevet européen spécifiée à la page suivante.

Patentanmeldung Nr. Patent application No. Demande de brevet n°

03380073.1

PRIORITY DOCUMENT
SUBMITTED OR TRANSMITTED IN
COMPLIANCE WITH
RULE 17.1(a) OR (b)

Der Präsident des Europäischen Patentamts;
Im Auftrag

For the President of the European Patent Office

Le Président de l'Office européen des brevets
p.o.

R C van Dijk

BEST AVAILABLE COPY



Anmeldung Nr:
Application no.: 03380073.1
Demande no:

Anmeldetag:
Date of filing: 26.03.03
Date de dépôt:

Anmelder/Applicant(s)/Demandeur(s):

Artesania Cervera, S.L.
Pol. Ind. Vila-Seca, Parcela E
08571-Sant Vicens de Torello
ESPAGNE

Bezeichnung der Erfindung/Title of the invention/Titre de l'invention:
(Falls die Bezeichnung der Erfindung nicht angegeben ist, siehe Beschreibung.
If no title is shown please refer to the description.
Si aucun titre n'est indiqué se référer à la description.)

Foldable box

In Anspruch genommene Priorität(en) / Priority(ies) claimed /Priorité(s)
revendiquée(s)
Staat/Tag/Aktenzeichen/State/Date/File no./Pays/Date/Numéro de dépôt:

Internationale Patentklassifikation/International Patent Classification/
Classification internationale des brevets:

B65D5/00

Am Anmeldetag benannte Vertragstaaten/Contracting states designated at date of
filing/Etats contractants désignées lors du dépôt:

AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IT LU MC NL
PT SE SI SK TR LI

FOLDABLE BOX**OBJECT OF THE INVENTION**

The present invention refers to a foldable box, of the type
5 comprising: rigid sides, at least one flexible sheet connecting
the rigid sides forming hinging means which permit the
arrangement of said sides forming a hollow, polygonal prismatic
configuration, as well as the overlapping thereof, the box
adopting a flattened configuration, and covers intended for
10 closing the box bases when the sides define a prismatic
configuration; each one of the covers being composed of an outer
part with slightly larger dimensions than the inner cavity of
the prismatic configuration and of an inner part intended to be
introduced inside of said prismatic configuration when in the
15 closed position.

BACKGROUND OF THE INVENTION

Currently, different foldable boxes provided with rigid
sides exist on the market, connected together by means of one or
more flexible sheets permitting the relative rotation of said
20 rigid sides in order to form a hollow prismatic configuration or
overlapping thereof, the box adopting a flattened configuration
which permits reducing the volume occupied by the box when it is
not in use.

Spanish Utility Model application number 248,234 discloses
25 an improved container of the type of those constituted by semi-
rigid material sandwich-type panels, connected together by means
of flexible sheets fixed to the opposite ends of the panels and
acting like a hinge.

In said Utility Model 248,234, the ends of the flexible
30 sheets are housed and fixed between two of the layers of the
sandwich-type panels constituting the sides of the box, so that
said sheets remain in a visible position once the box is formed.

The length of the flexible sheets arranged between the successive panels implies an important drawback because once the container is assembled, it permits the sides thereof to have freedom, making the definition of a regular prismatic body and of a stable configuration significantly difficult.

Said Utility Model 248,234 also foresees that the container be provided with independent covers which subsequently will be fixed to the container body for the purpose of carrying out the closure of the bases thereof.

The use of dismountable container covers implies an additional drawback because said covers can be lost during storage or transport of the container, so that when the assembly of said container is carried out, the necessary elements to carry out its closure will not be available.

Spanish Utility Model application number 9,700,240 discloses a foldable box, which, like in the prior Utility Model, is composed of wooden sides connected together by means of a paper sheet reinforced by means of mesh, permitting said sheet the rotation or relative flattening of the sides, so that the box can adopt a prismatic configuration when in use, or a flattened configuration in which the space necessary for its transport is reduced.

Identically as in the aforementioned model, the foldable box of the utility model 9,700,240 contemplates fixing the wooden sides to the paper sheet reinforced with a mesh, leaving between the two wooden sides spaces acting like a hinge.

Identically as in the prior case, the portions of the reinforced paper sheet which remain between the rigid wooden sides considerably reduce the stability of the box once it is assembled, because it permits certain freedom to said rigid sides.

Likewise, the use of a paper sheet reinforced with mesh for the connection of the rigid sides implies an unnecessary increase in manufacturing costs of the box.

In said Utility Model 9,700,240, the use of covers is also
5 contemplated, covers independent from the box body itself, which implies, as in the prior case, a risk of the loss thereof during transport or storage of the box in a disassembled state.

On the other hand, said registered background does not contemplate the use of any specific means which permit carrying
10 out the retention of the cover in the closed position and its subsequent opening for the purpose of making it possible to reuse the box as many times as required.

DESCRIPTION OF THE INVENTION

The foldable box object of the invention, being of the
15 aforementioned type, in other words, of those comprising rigid sides connected together by means of flexible sheets and closing covers, have constructive particularities focused on reducing manufacturing costs, especially in reference to the flexible sheet, to eliminate unnecessary allowances between the rigid
20 panels forming the sides, to keep the covers permanently connected to the rest of the box, preventing the loss thereof, and providing it with closure means which permit repeatedly carrying out the retention of the covers in the closed position or its release, so that said box can be totally reusable.

25 According to the invention, the flexible sheet is entirely formed by a single layer of cardboard, in other words, without reinforcement meshes, which permits significantly reducing the cost of said sheet, there being defined in said flexible sheet by means of fold lines: contiguous portions whose total surface
30 coincides with that of the rigid sides, a lateral flap extending from one of the contiguous end portions and which is fixed on the other contiguous end portion, said sheet defining a

polygonal tubular configuration, and two flaps: an upper one and a lower one, which extend from two of the contiguous portions forming means for the permanent fixing of the covers to the rest of the box.

5 According to the aforementioned, the surface of the contiguous portions defined on the flexible sheet coincides with that of the rigid sides of the box, so that the opposite sides of said sides make contact together when they are in a coplanar arrangement, thereby ensuring that, in the box assembly
10 condition, they will not remain spaced by an intermediate flexible sheet portion, which provides the box a better stability in the assembly position.

On the other hand, this feature significantly facilitates the tasks of fixing the rigid sides to the flexible sheet, since
15 said fixing is carried out flat and the facing sides of the successive rigid sides connecting together, preventing these from being misaligned, which in reality happens to those boxes which leave a portion of the flexible sheet free between the successive rigid sides.

20 The definition of a lateral flap on the flexible sheet for fixing the flexible sheet on itself, such that said sheet defines a tubular configuration, significantly simplifies the box manufacturing tasks .

Furthermore, the definition of the two flaps on the
25 flexible sheet, an upper one and a lower one, for holding the covers ensures that these remain permanently connected to the rest of the box, eliminating the risk of loss during the transport and the subsequent drawbacks that this implies.

According to the invention, the sides of the box opposite
30 to the carriers of the flaps for fixing the covers, have holes for the assembly of pins whose ends are housed in holes made for that purpose in the inner parts of the corresponding covers,

said pins carrying out the retention of the respective covers in the box closed position.

The existence of said holes and pins permits the box to be opened and closed as many times as necessary without suffering any kind of damage, which provides it with a reusable character.

According to the invention, the outer end of the pin corresponding to the upper cover of the box is provided with a ring simultaneously forming a pull intended to facilitate the holding and removal of said pin for opening the box, and an element for fixing a label or any other decorative element.

Likewise, it was foreseen that the upper and lower flaps of the flexible sheet have a width which is significantly equal to that of the outer parts of the corresponding covers and a length which is smaller than that of the inner parts.

Said upper and lower flaps are arranged between the inner and outer parts of the corresponding cover and fixed to them.

In turn, the inner and outer parts of each one of the covers are fixed directly together by those overlapped surface portions and which are not occupied by the flaps of the flexible sheets arranged between them; in this manner, it is ensured that the inner and outer parts of the covers remain solidly fixed together and also to the corresponding flap of the flexible sheet.

DESCRIPTION OF THE FIGURES

In order complement the description being made and for the purpose of helping to better understand the features of the invention, a set of drawings is attached to the present specification which, with an illustrative and non-limiting character, show the following

- Figures 1 and 2 show respective perspective views in front perspective and in rear perspective of the foldable box

object of the invention, with the covers opened and the retention pins of the covers removed.

- Figure 3 shows a perspective view of the box in an intermediate manufacturing stage in which the flat development of the flexible sheet can be seen, the rigid sides and the outer parts of the cover being fixed on one of the sides thereof, whereas the inner parts of the cover, intended to be fixed on the opposite side of the flaps, are shown disassembled.

- Figure 4 shows a profile view of the box once assembled and folded.

PREFERRED EMBODIMENT OF THE INVENTION

As can be seen in the attached drawings, the box object of the invention is composed of a flexible cardboard sheet (1), rigid sides (2), preferably of wood, covers (3) for closing the box once assembled and pins (4) for the retention of the covers (3) in the closed position.

On the flexible sheet (1), the following are defined by means of fold lines: contiguous portions (11) whose surface coincides with that of the rigid sides (2) and intended to be fixed on the inner sides of said rigid sides (2), a side flap (12) starting from one of the contiguous end portions (11) and intended to be fixed on the contiguous portion (11) of the opposite end, so that said flexible sheet adapts a tubular configuration, and two flaps (13), extending from the upper and lower parts of two of the contiguous portions (11), forming the holding means of the covers (3).

Each one of the covers (3) is composed of an outer part (31) and an inner part (32) fixed on the opposite sides of the flaps (13), so that said covers (3) are arranged in the upper and lower ends of the box.

As can be seen in figure 3, the flaps (13) have a width which is significantly equal to that of the outer parts (31) of

the covers and a length smaller than that of the inner parts (32), so that a portion of said inner parts (32) is directly fixed on the outer parts (31) of the corresponding cover.

5 As can be seen in figures 1, 2 and 3 the sides of the box opposite to the carriers of the flaps (13) are provided with holes (21) for the assembly of pins (4) intended to be introduced in holes (33) defined on the inner parts (32) of the covers (3), for the purpose of retaining said covers (3) in the closed position of the box.

10 Likewise, one of the pins (4), specifically the one corresponding to the upper cover of the box, has a ring (41) on its end intended to facilitate the holding and pulling of the pin for releasing it from the box prior to opening said upper cover (3).

15 Likewise, this ring (41) permits fixing thereon a label or any other decorative element.

20 Having sufficiently described the nature of the invention, as well as a preferred embodiment example, it is stated for opportune effects that the materials, shape, size and arrangement of the described elements can be modified, as long as this implies no alteration of the essential features of the invention claimed below.

CLAIMS

1.- A foldable box; of the type comprising rigid sides (2), at least one flexible sheet (1) connecting the rigid sides (2), forming hinging means permitting the arrangement of said sides (2) forming a hollow prismatic configuration, as well as the superimposing thereof, the box adopting a flattened configuration, and covers (3) intended to close the bases of the box when the sides (2) define a prismatic configuration; each one of the covers (3) being composed of an outer part (31) of slightly larger dimensions than those of the inner hole of the prismatic configuration defined by the sides (2) and by an inner part (32) intended to be introduced, in the closed position, inside of said prismatic configuration; characterized in that the flexible sheet (1) is formed entirely by a single layer of cardboard, wherein the following are defined by means of fold lines: - contiguous portions (11) whose total surface coincides with that of the rigid sides (2), - a side flap (12) extending from one of the contiguous end portions (11) and fixed on the other contiguous end portion (11), said sheet (1) defining a tubular configuration, and - two flaps (13), an upper one and a lower one, extending from two of the contiguous portions (11) forming means for the permanent fixing of the covers (3) to the rest of the box; the sides of the box opposite to the sides carrying the flaps (13) for fixing the covers (3) provided with holes (21) for the assembly of pins (4) whose ends are housed in holes (33) made for that purpose on the inner parts (32) of the corresponding covers, said pins (3) retaining the respective covers (4) in the closed position of the box.

2.- A box according to previous claims, characterized in that the pin (4) corresponding the upper cover (3) of the box is

provided with a ring (41) in its outer end which simultaneously forms a pull intended to facilitate the holding and removal of the pin (4) during the opening of the box and an element for fixing a label or decorative element.

5

3.- A box according to previous claims, characterized in that the upper and lower flaps (13) of the flexible sheet (1) have a width which is significantly equal to that of the outer parts (31) and a smaller length than the inner parts (32).

10

4.- A box according to previous claims, characterized in that the flaps (13) are arranged between the outer part (31) and the inner part (32) of the corresponding cover (3) and fixed to the two parts.

15

5.- A box according to previous claims, characterized in that the parts (31, 32) of each one of the covers (3) are directly fixed together by those overlapping surface portions and which are not occupied by the flap (13) of the flexible sheet (1) located between said parts (31, 32).

20

ABSTRACT

A FOLDABLE BOX

This foldable box comprises a flexible sheet (1) formed by a
5 single layer of cardboard and provided with: - contiguous
portions (11) whose total surface coincides with that of the
rigid sides (2), - a side flap (12) fixed on the opposite
contiguous portion (11), said sheet (1) defining a tubular
configuration, and - two flaps (13), an upper one and a lower
10 one, for the permanent fixing of the covers (3) to the rest of
the box. The sides of the box opposite to the flaps (13) has
holes (21) for the assembly of pins (4) whose ends are housed
in holes (33) of the inner parts (32) of the covers (3),
carrying out its retention (3) in the closed position of the
15 box.



